


# TRANSMITTAL OF APPEAL BRIEF (Large Entity)

Docket No.  
ITL1093US

In Re Application Of: John R. Harrison, et al.



Application No.	Filing Date	Examiner	Customer No.	Group Art Unit	Confirmation No.
10/798,757	March 11, 2004	David H. Malzahn	47795	2193	6402

Invention: Computing Transcendental Functions Using Single Instruction Multiple Data (SIMD) Operations

## COMMISSIONER FOR PATENTS:

Transmitted herewith is the Appeal Brief in this application, with respect to the Notice of Appeal filed on:  
November 21, 2007

The fee for filing this Appeal Brief is: \$510.00

- ☒ A check in the amount of the fee is enclosed.
- ☐ The Director has already been authorized to charge fees in this application to a Deposit Account.
- ☒ The Director is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. 20-1504. I have enclosed a duplicate copy of this sheet.
- ☐ Payment by credit card. Form PTO-2038 is attached.

**WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.**

  
Signature

Dated: January 4, 2008

Timothy N. Trop, Reg. No. 28,994  
TROP, PRUNER & HU, P.C.  
1616 S. Voss Road, Suite 750  
Houston, TX 77057  
713/468-8880 [Phone]  
713/468-8883 [Fax]

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to "Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on

January 4, 2008


(Date)

  
Signature of Person Mailing Correspondence

Nancy Meshkoff

Typed or Printed Name of Person Mailing Correspondence

cc:



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Applicant:

John R. Harrison, et al.

Serial No.: 10/798,757

Filed: March 11, 2004

For: Computing Transcendental Functions  
Using Single Instruction Multiple Data  
(SIMD) Operations

§  
§  
§  
§  
§  
§  
§

Art Unit: 2193

Examiner: David H. Malzahn

Atty Docket: ITL.1093US  
(P18487)

Assignee: Intel Corporation

Mail Stop **Appeal Brief-Patents**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**APPEAL BRIEF**


01/08/2008 SSITHIB1 00000060 10798757

01 FC:1402

510.00 OP

Date of Deposit: January 4, 2008

I hereby certify under 37 CFR 1.8(a) that this correspondence is being deposited with the United States Postal Service as **first class mail** with sufficient postage on the date indicated above and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

  
Nancy Meshkoff

## **TABLE OF CONTENTS**

REAL PARTY IN INTEREST .....	3
RELATED APPEALS AND INTERFERENCES.....	4
STATUS OF CLAIMS .....	5
STATUS OF AMENDMENTS .....	6
SUMMARY OF CLAIMED SUBJECT MATTER .....	7
GROUND OF REJECTION TO BE REVIEWED ON APPEAL .....	10
ARGUMENT.....	11
CLAIMS APPENDIX.....	12
EVIDENCE APPENDIX.....	15
RELATED PROCEEDINGS APPENDIX.....	19

### **REAL PARTY IN INTEREST**

The real party in interest is the assignee Intel Corporation.

## **RELATED APPEALS AND INTERFERENCES**

None.

## **STATUS OF CLAIMS**

Claim 1 (Rejected).

Claim 2 (Canceled).

Claims 3-12 (Rejected).

Claim 13 (Canceled).

Claims 14-22 (Rejected).

Claims 1, 3-12, and 14-22 are rejected and are the subject of this Appeal Brief.

### **STATUS OF AMENDMENTS**


The Reply to Final Rejection submitted on October 9, 2007 contained no amendments to the claims. All amendments have therefore been entered.

## SUMMARY OF CLAIMED SUBJECT MATTER

In the following discussion, the independent claims are read on one of many possible embodiments without limiting the claims:

1. A method comprising:
  - reducing an input argument  $x$  of a function to a range reduced value  $r$  according to a first reduction sequence (Figure 1, 20; Specification at p. 5, lines 9-10);
  - approximating a polynomial for a corresponding function of  $r$  having a dominant portion  $f(A) + \sigma r$  where  $A$  equals  $x$  minus  $r$ , and an absolute value of  $\sigma$  is a power of two (Figure 1, 30; Specification at p. 5, lines 11-13); and
  - executing a single instruction multiple data floating point operation to obtain a first result for the function using the polynomial (Figure 1, 40; Specification at p. 5, lines 16-18).

10




**FIG. 1**



12. An article comprising a machine-accessible storage medium containing instructions that if executed enable a system to:
- reduce an input argument  $x$  of a function to a range reduced value  $r$  according to a first reduction sequence (Figure 1, 20; Specification at p. 5, lines 9-10);
  - approximate a polynomial for a corresponding function of  $r$  having a dominant portion  $f(A)+\sigma r$  where  $A$  equals  $x$  minus  $r$ , and an absolute value of  $\sigma$  is a power of two (Figure 1, 30; Specification at p. 5, lines 11-13); and
  - execute a single instruction multiple data floating point operation to obtain a first result for the function using the polynomial (Figure 1, 40; Specification at p. 5, lines 16-18).

18. A system comprising:  
 a processor (Figure 3, 410); and  
 a dynamic random access memory (Figure 3, 420) coupled to the processor  
 including instructions that if executed enable the system to reduce an input argument  $x$  of a function to a range reduced value  $r$  according to a first reduction sequence (Figure 1, 20; Specification at p. 5, lines 9-10), approximate a polynomial for a corresponding function of  $r$  having a dominant portion  $f(A) + \sigma r$  where  $A$  equals  $x$  minus  $r$ , and an absolute value of  $\sigma$  is a power of two (Figure 1, 30; Specification at p. 5, lines 11-13), and execute a single instruction multiple data floating point operation to obtain a first result for the function using the polynomial (Figure 1, 40; Specification at p. 5, lines 16-18).



**FIG. 3**

At this point, no issue has been raised that would suggest that the words in the claims have any meaning other than their ordinary meanings. Nothing in this section should be taken as an indication that any claim term has a meaning other than its ordinary meaning.

**GROUND OF REJECTION TO BE REVIEWED ON APPEAL**

- A. Whether claims 1, 3-12, and 14-22 are unpatentable under 35 U.S.C. § 101 as being directed towards non-statutory subject matter.

## **ARGUMENT**

**A. Are claims 1, 3-12, and 14-22 are unpatentable under 35 U.S.C. § 101 as being directed towards non-statutory subject matter?**

Claim 1 calls for “executing a single instruction multiple data floating point operation”. It is not seen how this possibly could be a mathematical operation.


Necessarily, it is a computer operation, and a well-known one. SIMD or single-instruction, multiple-data stream processing is a well-known category of parallel processor computer architecture. The one-instruction processor fetches instructions and distributes orders to several other processors. *See* the attached definition from Microsoft’s dictionary.

Thus, executing requires something other than math. A single-instruction, multiple-data point floating point operation is not math but is a computer operation that is a standard kind of operation in computers. Therefore, application to pure mathematics is precluded.

Applicant respectfully requests that each of the final rejections be reversed and that the claims subject to this Appeal be allowed to issue.

Respectfully submitted,

Date: January 4, 2008

  
\_\_\_\_\_  
Timothy N. Trop, Reg. No. 28,994  
TROP, PRUNER & HU, P.C.  
1616 S. Voss Road, Suite 750  
Houston, TX 77057  
713/468-8880 [Phone]  
713/468-8883 [Fax]

## CLAIMS APPENDIX

The claims on appeal are:

1. A method comprising:  
reducing an input argument  $x$  of a function to a range reduced value  $r$  according to a first reduction sequence;  
approximating a polynomial for a corresponding function of  $r$  having a dominant portion  $f(A)+\sigma r$  where  $A$  equals  $x$  minus  $r$ , and an absolute value of  $\sigma$  is a power of two; and  
executing a single instruction multiple data floating point operation to obtain a first result for the function using the polynomial.
3. The method of claim 1, wherein approximating the polynomial comprises performing a plurality of successive addition/subtraction operations.
4. The method of claim 1, wherein approximating the polynomial comprises using a lookup table to obtain a breakpoint for  $f(A)$ .
5. The method of claim 1, further comprising restricting the input argument  $x$  to values within a predetermined window.
6. The method of claim 1, further comprising restricting the input argument  $x$  to values between  $2^{-252}$  and 90112.
7. The method of claim 1, wherein obtaining the first result for the function comprises obtaining  $\sin(x)$ .
8. The method of claim 7, further comprising obtaining a second result for the function using a second input  $y$ , wherein  $y$  is  $\pi/2$  greater than  $x$ .

9. The method of claim 8, wherein obtaining the second result for the function comprises obtaining  $\cos(x)$ .

10. The method of claim 9, further comprising obtaining  $\sin(x)$  and  $\cos(x)$  using a single instruction multiple data (SIMD) floating-point operation.

11. The method of claim 9, further comprising obtaining the first result and the second result in parallel.

12. An article comprising a machine-accessible storage medium containing instructions that if executed enable a system to:

reduce an input argument  $x$  of a function to a range reduced value  $r$  according to a first reduction sequence;

approximate a polynomial for a corresponding function of  $r$  having a dominant portion  $f(A) + \sigma r$  where  $A$  equals  $x$  minus  $r$ , and an absolute value of  $\sigma$  is a power of two; and

execute a single instruction multiple data floating point operation to obtain a first result for the function using the polynomial.

14. The article of claim 12, further comprising instructions that if executed enable the system to approximate the polynomial using a lookup table to obtain a breakpoint for  $f(A)$ .

15. The article of claim 12, further comprising instructions that if executed enable the system to obtain a second result for the function equal to  $\cos(x)$ , wherein the first result is equal to  $\sin(x)$ .

16. The article of claim 15, further comprising instructions that if executed enable the system to obtain  $\sin(x)$  and  $\cos(x)$  using a single instruction multiple data (SIMD) floating-point operation.

17. The article of claim 15, further comprising instructions that if executed enable the system to obtain the first result and the second result in parallel.

18. A system comprising:  
a processor; and  
a dynamic random access memory coupled to the processor including instructions that if executed enable the system to reduce an input argument  $x$  of a function to a range reduced value  $r$  according to a first reduction sequence, approximate a polynomial for a corresponding function of  $r$  having a dominant portion  $f(A) + \sigma r$  where  $A$  equals  $x$  minus  $r$ , and an absolute value of  $\sigma$  is a power of two, and execute a single instruction multiple data floating point operation to obtain a first result for the function using the polynomial.
19. The system of claim 18, wherein the dynamic random access memory further includes instructions that if executed enable the system to obtain a second result for the function equal to  $\cos(x)$ , wherein the first result is equal to  $\sin(x)$ .
20. The system of claim 19, wherein the dynamic random access memory further includes instructions that if executed enable the system to obtain  $\sin(x)$  and  $\cos(x)$  using a single instruction multiple data (SIMD) floating-point operation.
21. The system of claim 20, wherein the dynamic random access memory further includes instructions that if executed enable the system to obtain  $\sin(x)$  and  $\cos(x)$  using a single instruction multiple data (SIMD) floating-point operation when a function call requests either of  $\sin(x)$  or  $\cos(x)$ .
22. The system of claim 20, wherein the dynamic random access memory further includes instructions that if executed enable the system to obtain the first result and the second result in parallel.

## **EVIDENCE APPENDIX**

*See* definition of “SIMD”, Microsoft Press Computer Dictionary, Third Edition (1997), on the following pages.



Designed for



Microsoft  
Windows NT  
Windows 95



CD-ROM  
Included



**The Ultimate Computer Reference**

*The Comprehensive Standard for  
Business, School, Library, and Home*

Over  
**7,600**  
Terms

Additional Terms  
Available On Line  
Quarterly

# Microsoft Press<sup>®</sup> **Computer Dictionary** Third Edition

- Over 300 illustrations and diagrams
- Extensive Internet coverage
- Featured in Microsoft<sup>®</sup> Bookshelf<sup>®</sup>
- Covers software, hardware, concepts, and more!

**Microsoft<sup>®</sup> Press**

**PUBLISHED BY**

Microsoft Press  
A Division of Microsoft Corporation  
One Microsoft Way  
Redmond, Washington 98052-6399

Copyright © 1997 by Microsoft Corporation

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Cataloging-in-Publication Data  
Microsoft Press Computer Dictionary. -- 3rd ed.

p. cm.

ISBN 1-57231-446-X

1. Computers--Dictionaries. 2. Microcomputers--Dictionaries.

I. Microsoft Press.

QA76.15.M54 1997

004'.03--dc21

97-15489

CIP

Printed and bound in the United States of America.

2 3 4 5 6 7 8 9 QMQM 2 1 0 9 8 7

Distributed to the book trade in Canada by Macmillan of Canada, a division of Canada Publishing Corporation.

A CIP catalogue record for this book is available from the British Library.

Microsoft Press books are available through booksellers and distributors worldwide. For further information about international editions, contact your local Microsoft Corporation office. Or contact Microsoft Press International directly at fax (425) 936-7329.

Macintosh, Power Macintosh, QuickTime, and TrueType are registered trademarks of Apple Computer, Inc. Intel is a registered trademark of Intel Corporation. DirectInput, DirectX, Microsoft, Microsoft Press, MS-DOS, Visual Basic, Visual C++, Win32, Win32s, Windows, Windows NT, and XENIX are registered trademarks and ActiveMovie, ActiveX, and Visual J++ are trademarks of Microsoft Corporation. Java is a trademark of Sun Microsystems, Inc. Other product and company names mentioned herein may be the trademarks of their respective owners.

**Acquisitions Editor:** Kim Fryer

**Project Editor:** Maureen Williams Zimmerman, Anne Taussig

**Technical Editors:** Dail Magee Jr., Gary Nelson, Jean Ross, Jim Fuchs, John Conrow, Kurt Meyer,  
Robert Lyon, Roslyn Lutsch

## sign on

**sign on** \sīn on\ *vb.* See log on.

**sign propagation** \sīn' prop-ə-gā'shən\ *n.* See sign bit.

**silica gel** \sil'i-kə jel'\ *n.* A desiccant (moisture-absorbent substance) often packaged with optical or electronic equipment.

**silicon** \sil'i-kon'\ *n.* A semiconductor used in many devices, especially microchips. Silicon, with atomic number 14 and atomic weight 28, is the second most common element in nature.

**silicon chip** \sil'i-kon chip'\ *n.* An integrated circuit that uses silicon as its semiconductor material.

**silicon-controlled rectifier** \sil'i-kon-kən-trōld rek'tə-fī-yər\ *n.* A semiconductor rectifier whose conductance can be controlled by a gate signal. *Acronym:* SCR (S'C-R'). See also gate (definition 1), rectifier.

**silicon dioxide** \sil'i-kon dī-oks'īd\ *n.* An insulator used to form thin insulating layers in some types of semiconductors; also the primary component of glass.

**silicone** \sil'i-kōn\ *n.* A polymer in which silicon and oxygen are major components. Silicone is an excellent electrical insulator and conducts heat well.

**silicon foundry** \sil'i-kon foun'drē\ *n.* A factory or machine used to create wafers of crystalline silicon.

**silicon-on-sapphire** \sil'i-kon-on-saf'īr\ *n.* A method of fabricating semiconductors in which the semiconductor devices are formed in a thin single layer of silicon that has been grown on an insulating substrate of synthetic sapphire. *Acronym:* SOS (S'O-S').

**Silicon Valley** \sil'i-kon val'ē\ *n.* The region of California south of San Francisco Bay, otherwise known as the Santa Clara Valley, roughly extending from Palo Alto to San Jose. Silicon Valley is a major center of electronics and computer research, development, and manufacturing. See the illustration.

## Simple Mail Transfer Protocol



**Silicon Valley.**

**SIM** \S'I-M'\ *n.* See Society for Information Management.


• **SIMD** \S'I-M-D'\ *n.* Acronym for single-instruction, multiple-data stream processing. A category of parallel-processor computer architecture in which one instruction processor fetches instructions and distributes orders to several other processors. See the illustration. See also parallel processing. Compare MIMD.

**SIMM** \sim, S'I-M-M'\ *n.* Acronym for single inline memory module. A small circuit board designed to accommodate surface-mount memory chips. See the illustration.



**SIMM.**

**Simple Mail Transfer Protocol** \sim'plmāl' trans-fər-prō'tə-kol\ *n.* A TCP/IP protocol for sending messages from one computer to another on a network. This protocol is used on the Internet to route e-mail.



**SIMD.**

## Simple

*Acronym*  
tions pr  
Post Off

**Simple N**

net work

**simplex t**

*n.* Comr

sender to

1), half-d

**simulation**

physical

causes a

data and

the proce

modeling

**simultaneo**

See paralle

**simultaneo**

es-ēng\ *n.*

which mor

time. See ai

2. Loosely,

than one ta

time among


tasking.

**sine wave** \:

often gener

gle frequer

square wave



**Sine wave.**

**single-board** \

to a compute

board, usually

boards.

**single-density**

taining to a dis

frequency moc

**RELATED PROCEEDINGS APPENDIX**

None.